



Time to Play

Skill level – Some experience necessary

Designed by Scott Hansen for Coats
Quilted by Cathy Kessell

Project Number:	CS0152
Technique:	Quilting
Brand:	Coats®
Finished Size	66" x 74" (168 x 188cm)
Crafting time:	3-5 hours

Featuring Coats Eclectic Elements by Tim Holtz®

Materials

- 2 yds (1.8m)
Coats Eclectic Elements by Tim Holtz® PWTH008.REDXX
- 1 Fat Quarter
Coats Eclectic Elements by Tim Holtz® PWTH003.NEUTR
- 2/3 yd (60.4cm)
Coats Eclectic Elements by Tim Holtz® PWTH006.REDXX
Coats Eclectic Elements by Tim Holtz® PWTH006.TAUPE
Coats Eclectic Elements by Tim Holtz® PWTH006.BLUEX
- 1/4 yd (22.9cm)
Coats Eclectic Elements by Tim Holtz® PWTH009.NEUTR
Coats Eclectic Elements by Tim Holtz® PWTH003.NEUTR
Coats Eclectic Elements by Tim Holtz® PWTH002.NEUTR
Coats Eclectic Elements by Tim Holtz® PWTH004.TAUPE
Coats Eclectic Elements by Tim Holtz® PWTH010.TAUPE
Coats Eclectic Elements by Tim Holtz® PWTH011.TAUPE
Coats Eclectic Elements by Tim Holtz® PWTH004.REDXX
- 1/3 yd (30.2cm)
Coats Eclectic Elements by Tim Holtz® PWTH012.NEUTR
Coats Eclectic Elements by Tim Holtz® PWTH010.NEUTR
Coats Eclectic Elements by Tim Holtz® PWTH007.BLUEX
- 1/2 yd (45.72cm)
Coats Eclectic Elements by Tim Holtz® PWTH005.TAUPE
- 3/4 yd (68.6cm)
Coats Eclectic Elements by Tim Holtz® PWTH012.TAUPE
-

materials continued on page 2

makeitcoats.com



Materials Continued

- 4 ½ yds (4.12m) – Backing fabric
- 74" x 82" (188 x 208.2cm) Batting
- Coordinating Coats & Clark Dual Duty XP® All-Purpose thread
- Coats Cotton Covered® Bold Hand Quilting thread (S922)
- Coats Eclectic Elements by Tim Holtz® WOF= Width of Fabric


Cutting

From PWITH008.REDXX cut:

- (8) – 7 ½" x 10 ½" (19 x 26.7cm) Rectangles (A)
 (8) – 7 ½" x 3 ½" (19 x 8.9cm) Rectangles (B) (16) – 4 ½" x 3 ½" (11.4 x 8.9cm) Rectangles (C)
 (11) – 4 7/8" x 7 1/8" (12.4 x 18cm) Rectangles cut in half diagonally as shown to create 22 Right Leaning Triangles (K)
 (11) – 4 7/8" x 7 1/8" (12.4 x 18cm) Rectangles cut in half diagonally as shown to create 22 Left Leaning Triangles (L)
 (1) 3" (7.62 cm) x WOF Strip (BA2)


From PWITH006.REDXX cut:

- (4) – 4 7/8" x 7 1/8" (12.4 x 18cm) Rectangles cut in half diagonally as shown to create 8 Right Leaning Triangles (K)
 (4) – 4 7/8" x 7 1/8" (12.4 x 18cm) Rectangles cut in half diagonally as shown to create 8 Left Leaning Triangles (L)
 (1) – 9" x 12" (22.86 x 30.5cm) Rectangle cut in half diagonally as shown to create 2 Right Leaning Triangles (KA)
 (1) – 9" x 12" (22.86 x 30.5cm) Rectangle cut in half diagonally as shown to create 2 Left Leaning Triangles (LA)




From PWITH006.TAUPE cut:

- (4) – 4 7/8" x 7 1/8" (12.4 x 18cm) Rectangles cut in half diagonally as shown to create 8 Right Leaning Triangles (K)
 (4) – 4 7/8" x 7 1/8" (12.4 x 18cm) Rectangles cut in half diagonally as shown to create 8 Left Leaning Triangles (L)
 (1) – 9" x 12" (22.86 x 30.5cm) Rectangle cut in half diagonally as shown to create 2 Right Leaning Triangles (KA)
 (1) – 9" x 12" (22.86 x 30.5cm) Rectangle cut in half diagonally as shown to create 2 Left Leaning Triangles (LA)



From PWITH006.BLUEX cut:

- (4) – 4 7/8" x 7 1/8" (12.4 x 18cm) Rectangles cut in half diagonally as shown to create 8 Right Leaning Triangles (K)
 (4) – 4 7/8" x 7 1/8" (12.4 x 18cm) Rectangles cut in half diagonally as shown to create 8 Left Leaning Triangles (L)
 (1) – 9" x 12" (22.86 x 30.5cm) Rectangle cut in half diagonally as shown to create 2 Right Leaning Triangles (KA)
 (1) – 9" x 12" (22.86 x 30.5cm) Rectangle cut in half diagonally as shown to create 2 Left Leaning Triangles (LA)



From PWITH009.NEUTR cut:

- (1) 3" (7.62 cm) x WOF Strip (AA1)

From PWITH003.NEUTR cut:

- (1) 3" (7.62 cm) x WOF Strip (AA2)

From PWITH002.NEUTR cut:

- (1) 2" (5.08cm) x WOF Strip (AB1)

From PWITH012.NEUTR cut:

- (1) 2" (5.08cm) x WOF Strip (AB2)
 (1) 5" (12.7cm) x WOF Strip (CB2)

From PWITH010.NEUTR cut:

- (1) 3 ½" (8.9cm) x WOF Strip (AC1)
 (1) 3" (7.62 cm) x WOF Strip (BC1)

From PWITH007.BLUEX cut:

- (1) 3 ½" (8.9cm) x WOF Strip (AC2)
 (1) 2 ½" (6.35cm) x WOF Strip (BB2)

From PWITH005.TAUPE cut:

- (1) 3" (7.62 cm) x WOF Strip (BA1)
 (2) 3 ½" x 34 ½" (8.9 x 87.6cm) Strips (M)
 (2) 3 ½" x 40 ½" (8.9 x 102.9cm) Strips (N)

From PWITH003.NEUTR cut:

- (1) – 8 ½" x 8 ½" (21.6 x 21.6cm) Square (J)

From PWITH004.TAUPE cut:

- (1) 2 ½" (6.35cm) x WOF Strip (BB1)

Cutting

From PWTH012.TAUPE cut:

- (1) 3" (7.62 cm) x WOF Strip (BC2)
- (8) 2 1/4" (5.7cm) x WOF Strips (Binding)

From PWTH010.TAUPE cut:

- (1) 3" (7.62 cm) x WOF Strip (CA1)

From PWTH011.TAUPE cut:

- (1) 3" (7.62 cm) x WOF Strip (CA2)

From PWTH004.REDXX cut:

- (1) 5" (12.7cm) x WOF Strip (CB1)

From scraps of all the fabrics cut:


- (56) – 3 1/2" x 3 1/2" (8.9 x 8.9cm) Squares (D)
- (4) – 3 1/2" x 8 1/2" (8.9 x 21.6cm) Rectangles (E)
- (24) – 3 1/2" x 2 1/2" (8.9 x 6.35cm) Rectangles (F)
- (4) – 3 1/2" x 4 1/2" (8.9 x 11.4cm) Rectangles (G)
- (4) – 3 1/2" x 54 1/2" (8.9 x 138.4cm) Rectangles (H) (84) – 2 1/2" x 2 1/2" (6.35x x 6.35cm) Squares (I)

Instructions

Note: Seam allowance is 1/4" (.64cm) unless otherwise noted.


Corner Pocket Blocks. (Make 8)

1. Sew 1 each of (A) & (B) together with 2 each of (C) & 6 of the assorted (D)'s as shown:
2. Set these blocks aside.




Center Point Blocks. (Make 4)


1. Sew 1 (E), 2 (D)'s, 6 (F)'s, 1 (G), 1 (H), & 1 (I) together as shown:




2. With this pieced block laying right side up, take one of the (KA) triangles and lay it right side down on the block so that when you sew and fold over the (KA) triangle covers the entire corner of the pieced block on the (E) patch as shown:



3. Trim the (KA) triangle to meet the edges of the pieced square as shown:




4. Repeat the process on the next corner with a (LA) triangle as shown:



5. (Note #1: You can make these as wonky as you want as long as you are sure that once they are sewn and folded over that they will cover the corners of the pieced blocks)
6. (Note #2: Once you have trimmed the (KA) and (LA) triangles to match the corners of the pieced block, you can also trim the pieced portions behind the triangles if you wish)
7. (Note #3: You will have extra (KA) and (LA) triangles, feel free to piece these together and work onto the back or into another quilt)

Tidy Patch Border.


8. Sew four rows of twenty (I) squares in a row. Then sew two rows together twice for two sets of 40 (I) square borders.




Sawtooth Borders.

9. Sew 7 (K) triangles of PWTH006.REDXX to 7 (K) triangles of PWTH008.REDXX and trim to 4½" x 6½" (11.4 x 16.5cm) rectangles making them very slightly wonky.
10. Repeat this process with 7 (K) triangles of PWTH006.TAUPE to 7 (K) triangles of PWTH008.REDXX and 8 (K) triangles of PWTH006.BLUEx to 8 (K) triangles of PWTH008.REDXX.
11. Now do the same thing matching up the (L) triangles sewing 8 of PWTH006.REDXX, 7 each of PWTH006.TAUPE and PWTH006.BLUEx to 22 (L) triangles of PWTH008.REDXX.
12. Using the photograph for color placement sew the these trimmed, pieced triangle units into top and bottom borders of 10 units each, and two side sawtooth border of 12 units each as shown:

Top and Bottom Borders




Side Borders




Random Patched Borders.


13. Sew the following into 6 strip sets: Into Set #1 sew: (AA1), (AB1) & (AC1) Into Set #2 sew: (AA2), (AB2) & (AC2) Into Set #3 sew: (BA1), (BB1) & (BC1) Into Set #4 sew: (BA2), (BB2) & (BC2) Into Set #5 sew: (CA1) & (CB1) Into Set #6 sew: (CA2) & (CB2) These strips should measure 7½" (19cm) wide when sewn together.
14. Now cross-cut strip sub-sets from these strips as demonstrated in diagram. You will need to cut (22) 2½" (6.35cm) sets and (44) 3½" (8.9cm) sets. (There will be extra leftover bits from the various strip sets depending on how you cut them)




15. For the top border sew (5) 2 ½" (6.35cm) sections & (10) 3 ½" (8.9cm) sections together in random order as shown:




16. Repeat for the bottom border.
17. For each of the side borders sew (6) 2 ½" (6.35cm) sections & (12) 3 ½" (8.9cm) sections together in random order as shown:




18. Now sew four of the Corner Pocket Blocks, the Center Point Blocks, & Square (J) in a simple 9-Patch configuration as shown:



19. Add Borders (M) & (N) as shown:




20. Add Tidy Patch Borders to top and bottom of the center unit as shown:




21. Sew Sawtooth Borders & Random Patched Borders together as shown:

Top and Bottom Borders




Side Borders



continued ...

22. Now sew the Sawtooth/Random Patched Border units & the remaining four Corner Pocket Blocks to center unit as shown:



Finishing:

23. Quilt as desired, and then bind with the eight 2 ¼" (5.7cm) wide strips of PWTH012.TAUPE.