


MINT JULEP

Designed by Darlene Zimmerman for RK
www.robertkaufman.com

Featuring **KONA**[®] 2024 COLOR
cotton solids OF THE
YEAR



Finished quilt measures: 62" x 72"





Difficulty Rating: **Beginner**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-2018 COTY 2024	1-1/8 yards		C	K001-1339 SNOW	3-3/8 yards
	B	K001-1281 PEACH	3/4 yard		Binding*	K001-2018 COTY 2024 <i>*Also used for Fabric A</i>	1/2 yard
Copyright 2023, Robert Kaufman For individual use only - Not for resale				You will also need: 4 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

six 4" x WOF strips. Subcut:

sixty 4" squares

three 3-1/2" x WOF strips. Subcut:

thirty 3-1/2" squares

one 2-1/2" x WOF strip. Subcut:

eight 2-1/2" squares

Trim the remainder of the strip to 2", then subcut:

four 2" squares

From Fabric B, cut:

one 2-1/2" x WOF strip. Subcut:

sixteen 2-1/2" squares

six 2" x WOF strips. Subcut:

one-hundred and eight 2" squares

six 1-1/2" x WOF strips. Sew the strips together end-to-end, then subcut:

two 1-1/2" x 62" side inner borders

two 1-1/2" x 53-1/2" top/bottom inner borders

From Fabric C, cut:

five x 5" WOF strips. Sew the strips together end-to-end, then subcut:

two 5" x 55" side outer borders

two 5" x 44-1/2" top/bottom outer borders

six 4" x WOF strips. Subcut:

sixty 4" squares

ten 3-1/2" x WOF strips. Subcut:

one-hundred and twenty 3-1/2" squares

two 2-1/2" x WOF strips. Subcut:

twenty-four 2-1/2" squares

fifteen 2" x WOF strips. Subcut:

forty-nine 2" x 9-1/2" rectangles

forty-eight 2" squares

From the Binding Fabric, cut:


seven 2-1/2" x WOF strips

Assemble the Half-Square Triangles (HSTs)


Step 1: Pair a 4" Fabric A square with a 4" Fabric C square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 3-1/2" square. Repeat to make one-hundred and twenty large A/C HSTs.



Step 2: Repeat Step 1 using 2-1/2" Fabric A squares and 2-1/2" Fabric C squares. Trim these HSTs to 2" square. Make sixteen small A/C HSTs.




Step 3: Repeat Step 1 using 2-1/2" Fabric B squares and 2-1/2" Fabric C squares. Trim these HSTs to 2" square. Make thirty-two small B/C HSTs.




Assemble the Blocks


Step 4: Gather four large A/C HSTs, one 3-1/2" Fabric A square, and four 3-1/2" Fabric C squares. Arrange the squares and HSTs in three rows of three as shown. Sew the squares and HSTs together to form rows, then press. Sew the rows together, then press. Make thirty units.




Step 5: Place a 2" Fabric B square on one corner of a Step 4 unit, RST. Mark the diagonal on the square as shown, then sew on the marked line. Trim the excess fabric 1/4" away from the sewn seam, then press. Make four large corner blocks.




Step 6: Place a 2" Fabric B square on two adjacent corners of a Step 4 unit, RST. Mark the diagonal on the squares as shown, then sew on the marked lines. Trim the excess fabric 1/4" away from the sewn seams, then press. Make fourteen large outer blocks.




Step 7: Place a 2" Fabric B square on each corner of a Step 4 unit, RST. Mark the diagonal on the squares as shown, then sew on the marked lines. Trim the excess fabric 1/4" away from the sewn seams, then press. Make twelve large inner blocks.



Step 8: Gather four small A/C HSTs, one 2" Fabric A square, and four 2" Fabric C squares. Arrange the squares and HSTs in three rows of three as shown. Sew the squares and HSTs together to form rows, then press. Sew the rows together, then press. Make four small A/C blocks.



Step 9: Gather four small B/C HSTs, one 2" Fabric B square, and four 2" Fabric C squares. Arrange the squares and HSTs in three rows of three as shown. Sew the squares and HSTs together to form rows, then press. Sew the rows together, then press. Make eight small B/C blocks.



Assemble the Horizontal Sashing Strips

Step 10: Gather five 2" x 9-1/2" Fabric C rectangles and four 2" Fabric B squares. Alternate between the rectangles and squares to form a row. Sew the row together, then press the seams towards the rectangles. Make five horizontal sashing strips.



Assemble the Borders

Step 11: Gather two small B/C blocks from Step 9 and one 5" x 55" Fabric C rectangle. Sew the blocks to both ends of the rectangle, then press. Make two side outer borders.



Step 12: Gather two small A/C blocks from Step 8, two small B/C blocks from Step 9, and one 5" x 44-1/2" Fabric C rectangle. Sew the small B/C blocks to both ends of the rectangle, then press. Sew the small A/C blocks to both ends, then press to complete the top outer border. Repeat to make a bottom outer border.



Assemble the Borders

Step 13: Arrange the blocks into six rows of five blocks. Note the block placement and orientation in the Quilt Assembly Diagram on the next page. Place a 2" x 15-1/2" Fabric C rectangle between the blocks in each row.

Step 14: Sew the blocks and rectangles together to form rows. Press the seams towards the rectangles.


Step 15: Place a horizontal sashing strip between each row.

Step 16: Sew the rows and horizontal sashing strips together to form the quilt center. Press the row seams open.

Step 17: Sew the side inner borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom inner borders to the quilt center. Press toward the borders.

Step 18: Sew the side outer borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom outer borders to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind, and enjoy!



Quilt Assembly Diagram

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2023. All rights reserved.